

Genics CuB

Genics CuB is an oil-free, *environmentally safe*, home-use wood preservative – a registered fungicide, termiticide, and insecticide with USEPA. **Genics CuB** is a unique, ready-to-use product for the protection and remedial treatment of wood against all wood destroying organisms.



Genics CuB's active ingredients are Borax and Copper – an internationally recognized and highly effective wood preservative.

It is easy to apply; just brush, spray externally, or inject for internal treatments.



Genics CuB's can be used on decks, fences, poles, spindles, landscape timbers, lattices, gazebos, etc.

One 4L jug of **Genics CuB** will cover approximately 20m² (215 sq ft). **Genics CuB** is premixed and ready-to-use.

Genics CuB is an effective control for:

- Termites
- Beetles
- Carpenter Ants
- Decay
- Fungi



Packaging Available:

#23204

Genics CuB

4L Bottle

Genics has been in the wood preservation business for over 25 years, providing wood pole testing and treating services along with wood preservation products and solutions to electrical utilities around North America.

Genics' philosophy is to keep it simple and safe – from manufacture to installation to the environment.

This philosophy has led to the development of the Genics Post Guard wood protection system which, when used according to labeling can extend the service life of wooden structures by years.



GENICS INC

#561 Acheson Road, 53016 Hwy 60
Acheson AB T7X 5A7
1.877.943.6427 780.962.1000
www.geincinc.com
loghomes@genicsinc.com



10300 E. 107th Place, Brighton, CO 80601
1-800-767-5656 • www.sashco.com

Available From:


© Genics Inc. 2010

GENICS Cobra™ Rod

Environmentally safe & effective
wood protection system for your:



Cobra™ Rods



Genics' **Cobra™ Rods** wood preservative rods are ideal for treating new and existing wood structures. Made up of copper and boron, the **Cobra™ Rods** are both safe to use and easy on the environment. Millions of Cobra™ Rods have been installed in power poles in the last decade. Being odourless, **Cobra™ Rods** can be used indoors and require no breathing protection. **Cobra™ Rods** use the moisture present in the wood to 'activate' or dissolve and migrate with that moisture, thus moving the preservative where it is most needed.

Several different sizes and packaging options are available:



1/3" x 1" Size Packaging

20012	Cobra™ Rods – 1/3" x 1"	25 pk
20016	Cobra™ Rods – 1/3" x 1"	100 pk

1/2" x 2" Size Packaging

20096	Cobra™ Rods – 1/2" x 2"	50 pk
20098	Cobra™ Rods – 1/2" x 2"	100 pk
20305	Cobra™ Rods – 10 - 1/2" x 2" & 10 – 9/16" Black Reusable Plugs	10 pk
20307	Cobra™ Rods – 10 - 1/2" x 2" & 10 – 9/16" Brown Reusable Plugs	10 pk

1/2" x 4" Size Packaging (25/64" diameter)

20311	Cobra™ Rods – 1/2" x 4"	50 pk
-------	-------------------------	-------

3/4" x 3" Size Packaging

20352	Cobra™ Rods – 12 – 3/4" x 3" & 12 – 9/16" Black Reusable Plugs	12 pk
20362	Cobra™ Rods – 12 – 3/4" x 3" & 12 – 9/16" Brown Reusable Plugs	12 pk
20355	Cobra™ Rods – 3/4" x 3"	100pk

Reusable Plugs



Designed to work in conjunction with the **Cobra™ Rods**, the plugs offer an excellent means of maintaining an effective level of protection for your wood structures. Every 5 to 10 years, simply use a flat screwdriver to remove the plug and probe the treatment hole. If the rod has been significantly used up (enough room for another rod) simply insert a new rod and tap or turn the plug back in the hole. If the rod is intact enough that no room for another rod exists, simply tap or turn the plug back in and check the hole at a later date.

Packaging Available:



30623	Cobra™ Plug 9/16" Black	50 pk
30625	Cobra™ Plug 9/16" Black	100 pk
30632	Cobra™ Plug 9/16" Brown	50 pk
30633	Cobra™ Plug 9/16" Tan	50 pk
30635	Cobra™ Plug 9/16" Brown	100 pk
30636	Cobra™ Plug 9/16" Tan	100 pk
30685	Cobra™ Plug 15/16" Black	100 pk
30690	Cobra™ Plug 15/16" Brown	100 pk
30691	Cobra™ Plug 15/16" Tan	100 pk



1. Drill


Drill a hole at ground level (for posts and poles) using a 1/16" over sized spade or ship auger bit. Start the hole with the drill positioned horizontally. Once the bit is established, raise the drill to aim downward into the post at a 45 degree angle. Leave enough headroom to accommodate a plug.



Drill hole downward at a 45°, towards center (heart) of log


2. Insert

Insert Post Guard rod into the hole. Never hammer the Post Guard rod during installation



3. Plug

Insert the plug and push firmly to seat in the hole. Hammer in plug until flush with surface.



When installed according to the method shown above, the **Cobra™ Rods** will have excellent diffusion throughout the heart of the pole/post/log. Using a staining technique, the log in the picture below shows diffusion of **Cobra™ Rods**.

